

yeast infection

By *lisarichard*

Created 2009/10/20 - 8:34am

20 October, 2009 - 08:34 ? lisarichard

/* Style Definitions */

```
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-qformat:yes;
mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;
mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0cm;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
mso-bidi-font-size:10.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;}

```

For women, yeast infections are the second most common cause of vaginal burning, itching and discharge. Yeasts are available most of the vagina of women, and can attack if the environmental changes in the vagina. Antibiotics and steroids are the most common cause of the spread of yeast. But during pregnancy, menstruation, sperm, diabetes, and birth control pills will also get yeast infection. Fungal infections are more common after menopause.

/* Style Definitions */

```
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-qformat:yes;
mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;

```

mso-para-margin-top:0cm;
mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0cm;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
mso-bidi-font-size:10.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;}

[symptoms of candida](#)

```
/* Style Definitions */  
table.MsoNormalTable  
{mso-style-name:"Table Normal";  
mso-tstyle-rowband-size:0;  
mso-tstyle-colband-size:0;  
mso-style-noshow:yes;  
mso-style-priority:99;  
mso-style-qformat:yes;  
mso-style-parent:"";  
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;  
mso-para-margin-top:0cm;  
mso-para-margin-right:0cm;  
mso-para-margin-bottom:10.0pt;  
mso-para-margin-left:0cm;  
line-height:115%;  
mso-pagination:widow-orphan;  
font-size:11.0pt;  
mso-bidi-font-size:10.0pt;  
font-family:"Calibri","sans-serif";  
mso-ascii-font-family:Calibri;  
mso-ascii-theme-font:minor-latin;  
mso-hansi-font-family:Calibri;  
mso-hansi-theme-font:minor-latin;}
```

[Yeast Infection](#)

```
/* Style Definitions */  
table.MsoNormalTable  
{mso-style-name:"Table Normal";  
mso-tstyle-rowband-size:0;  
mso-tstyle-colband-size:0;  
mso-style-noshow:yes;  
mso-style-priority:99;  
mso-style-qformat:yes;
```

mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;
mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0cm;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
mso-bidi-font-size:10.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;}

[Yeast Infection](#)

- [Women's Health](#)

- [Women's Health](#)

Source URL (retrieved on 2017/06/26 - 9:00pm): <http://tac.org.za/community/node/2760>